



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER OF PATENTS AND TRADEMARKS  
Washington, D.C. 20231  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/086,717	03/04/2002	Shigeru Nakamura	H-1034	2183

7590 04/18/2003

Mattingly, Stanger & Malur, P.C.  
1800 Diagonal Road, Suite 370  
Alexandria, VA 22314

EXAMINER

ZARNEKE, DAVID A

ART UNIT PAPER NUMBER

2827

DATE MAILED: 04/18/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.

10/086,717

Applicant(s)

NAKAMURA ET AL.

Examiner

David A. Zarneke

Art Unit

2827

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☐ Responsive to communication(s) filed on \_\_\_\_.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1-43 is/are pending in the application.
- 4a) Of the above claim(s) 1-7, 21-43 is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 8-20 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 04 March 2002 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on \_\_\_\_ is: a) ☐ approved b) ☐ disapproved by the Examiner.  
If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

## Priority under 35 U.S.C. §§ 119 and 120

- 13) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
a) ☐ All b) ☐ Some \* c) ☒ None of:  
1. ☒ Certified copies of the priority documents have been received.  
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_.  
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  
\* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).  
a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

## Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892) 5) ☐ Interview Summary (PTO-413) Paper No(s). \_\_\_\_.
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948) 6) ☐ Notice of Informal Patent Application (PTO-152)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) \_\_\_\_.
- 6) ☐ Other: \_\_\_\_\_

## **DETAILED ACTION**

### ***Priority***

Acknowledgment is made of applicant's claim for foreign priority based on two applications filed in Japan on 1/22/02 and 4/16/01. It is noted, however, that applicant has not filed a certified copy of either application as required by 35 U.S.C. 119(b).

### ***Election/Restrictions***

Restriction to one of the following inventions is required under 35 U.S.C. 121:

- I. Claims 1-7, drawn to a device, classified in class 257, subclass 686.
- II. Claims 8-43, drawn to a method, classified in class 438, subclass 109.

The inventions are distinct, each from the other because of the following reasons:

Inventions I and II are related as process of making and product made. The inventions are distinct if either or both of the following can be shown: (1) that the process as claimed can be used to make other and materially different product or (2) that the product as claimed can be made by another and materially different process (MPEP § 806.05(f)). In the instant case, the product as claimed can be made by another and materially different process. For example, the 2 chips could be connected together first and then connected to the wiring substrate.

Because these inventions are distinct for the reasons given above and have acquired a separate status in the art as shown by their different classification, restriction for examination purposes as indicated is proper.

This application contains method claims directed to the following patentably distinct species of the claimed invention: method claims 8-43 contain claim groupings to 8 embodiments.

Applicant is required under 35 U.S.C. 121 to elect a single disclosed species for prosecution on the merits to which the claims shall be restricted if no generic claim is finally held to be allowable. Currently, no claims are generic.

Applicant is advised that a reply to this requirement must include an identification of the species that is elected consonant with this requirement, and a listing of all claims readable thereon, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered nonresponsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

Should applicant traverse on the ground that the species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C. 103(a) of the other invention.

During a telephone conversation with John Mattingly on 4/9/03 a provisional election was made without traverse to prosecute the invention of claims 8-20. Affirmation of this

election must be made by applicant in replying to this Office action. Claims 1-7 and 21-43 are withdrawn from further consideration by the examiner, 37 CFR 1.142(b), as being drawn to a non-elected invention.

Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 8, 14, 15 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hiroyuki et al., JP 2000188369, in view of Takiar et al., US Patent 5,422,435.

Hiroyuki teaches a device comprising:

(a) preparing a wiring substrate (4) having a plurality of electrodes (6) created on a main surface thereof;

(b) preparing a first semiconductor chip (1a) having a main surface, a back surface, a plurality of semiconductor devices created on said main surface of said first semiconductor chip and a plurality of electrodes created on said main surface of said first semiconductor chip;

(c) preparing a second semiconductor chip (1b) having a main surface, a back surface, a plurality of semiconductor devices created on said main surface of said second semiconductor chip and a plurality of electrodes created on said main surface of said second semiconductor chip and having a thickness smaller than a thickness of said first semiconductor chip;

(d) placing said first semiconductor chip on said main surface of said wiring substrate with said main surface of said first semiconductor chip interfacing with said main surface of said wiring substrate in such a way that said electrodes provided on said main surface of said first semiconductor chip interface with said respective electrodes provided on said main surface of said wiring substrate;

(e) electrically connecting said electrodes created on said second semiconductor chip to said respective electrodes provided on said wiring substrate by using a plurality of wires; and

(f) forming a resin sealing body (5) for sealing said first semiconductor chip, said second semiconductor chip and said wires (Figures).

Hiroyuki fails to teach (1) the application of pressure to 1<sup>st</sup> chip so as to electrically connect it to the electrodes of wiring substrate and (2) the pressure applied to the 2<sup>nd</sup> chip being smaller than the pressure applied to the 1<sup>st</sup> chip.

Takiar teaches a stacked multi-chip module (figure 5) comprising providing a carrier member (152), such as a lead frame (5, 26+), or a substrate having leads thereon (8, 25+), on which a 1<sup>st</sup> chip (146) is pressure adhered, a 2<sup>nd</sup> chip (148) pressure adhered to the 1<sup>st</sup> chip using a pressure smaller than the pressure used to apply the 1<sup>st</sup> chip (10, 34+).

It would have been obvious to one of ordinary skill in the art at the time of the invention to use the pressure bonding of Takiar as the method of bonding the chips in the invention of Hiroyuki because pressure bonding is a conventionally known in the art method of bonding chips or substrates.

The use of conventional materials to perform there known functions in a conventional process is obvious. In re Raner 134 USPQ 343 (CCPA 1962).

Regarding claim 14, Hiroyuki teaches applying solder balls (6) to the back side of the wiring substrate (Figures).

With respect to claims 15 and 16, Takiar teaches applying a 3<sup>rd</sup> chip to the substrate and a 4<sup>th</sup> chip on top of the 3<sup>rd</sup> chip (Figure 10).

Claims 9 and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hiroyuki et al., JP 2000188369, in view of Takiar et al., US Patent 5,422,435, as applied to claim 8 above, and further in view of Lau, Flip Chip Technologies 1996, McGraw-Hill, p. 302-303.

Hiroyuki and Takiar both fail to teach the use of heat along with pressure to bond chips and or substrates together.

Regarding claim 9, the application of heat along with pressure is a conventionally known in the art combination known to be used in the bonding of chips (Lau).

With respect to claim 10, Lau teaches that the application of heat cures the resin thereby fixing the chip to the substrate.

It would have been obvious to one of ordinary skill in the art at the time of the invention to the heat and pressure combination of Lau in the invention of Hiroyuki and Takiar because it is a conventionally known method of bonding chips to substrates.

The use of conventional materials to perform there known functions in a conventional process is obvious. In re Raner 134 USPQ 343 (CCPA 1962).

Claims 11, 12 and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hiroyuki et al., JP 2000188369, in view of Takiar et al., US Patent 5,422,435, as applied to claim 8 above, and further in view of Okazaki et al., US Patent 6,269,999.

Both Hiroyuki and Takiar fail to teach the use of ultrasonic/supersonic waves in the bonding of solder balls attached a chip to a substrate.

Okazaki teaches chip mounting using ultrasonic vibrations to bond a chip having balls mounted on its electrodes (abstract & Figures).

It would have been obvious to one of ordinary skill in the art at the time of the invention to the ultrasonic bonding of Okazaki in the invention of Hiroyuki and Takiar because it is a conventionally known method of bonding chips to substrates (1, 21+).

The use of conventional materials to perform there known functions in a conventional process is obvious. In re Raner 134 USPQ 343 (CCPA 1962).

Claims 17 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hiroyuki et al., JP 2000188369.

Hiroyuki teaches a device comprising:



(a) preparing a transfer mold (abstract) which is inherently provided with a cavity having first and second side surfaces facing each other and third and fourth surfaces facing each other and coming in contact with said first and second side surfaces;

(b) preparing a wiring substrate(3) having a main surface, preparing a first semiconductor chip (1a) fixed on said main surface of said wiring substrate and preparing a second semiconductor chip (1b) fixed on said first semiconductor chip;

(c) inherently placing said wiring substrate, said first semiconductor chip and said second semiconductor chip inside said cavity; and

(d) after said step (c) injecting resin through said resin injection entrance in order to seal and hold said first and second semiconductor chips, wherein in said step (c), said wiring substrate, said first semiconductor chip and said second semiconductor chip are arranged in such a way that, on a cross section parallel to said third side surface of said cavity, the length of said first semiconductor chip exceeds the length of said second semiconductor chip (figures).

While Hiroyuki fails to teach the mold to be provided with a resin injection entrance created on said first side surface, the positioning of a resin injection entrance is an obvious matter of design choice. Design choices and changes of size are generally recognized as being within the level of ordinary skill in the art (MPEP 2144.04(d)).

Regarding claim 19, the use of an air hole in the cavity is conventionally known in the art.

The use of conventional materials to perform their known functions in a conventional process is obvious. In re Raner 134 USPQ 343 (CCPA 1962).

Claim 20 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hiroyuki et al., JP 2000188369, in view of Mitsuhiro, JP 03-106622.

Hiroyuki teaches a device comprising:

(a) preparing a transfer mold (abstract) which is inherently provided with a cavity having first and second side surfaces facing each other and third and fourth surfaces facing each other and coming in contact with said first and second side surfaces;

(b) preparing a wiring substrate(3) having a main surface, preparing a first semiconductor chip (1a) fixed on said main surface of said wiring substrate and preparing a second semiconductor chip (1b) fixed on said first semiconductor chip;

(c) inherently placing said wiring substrate, said first semiconductor chip and said second semiconductor chip inside said cavity; and

(d) after said step (c) injecting resin through said resin injection entrance in order to seal and hold said first and second semiconductor chips, wherein in said step (c), said wiring substrate, said

first semiconductor chip and said second semiconductor chip are arranged in such a way that, on a cross section parallel to said third side surface of said cavity, the length of said first semiconductor chip exceeds the length of said second semiconductor chip (figures).

While Hiroyuki fails to teach the mold to be provided with a resin injection entrance created on said first side surface, the positioning of a resin injection entrance is an obvious matter of design choice. Design choices and changes of size are generally recognized as being within the level of ordinary skill in the art (MPEP 2144.04(d)).

Also, while Hiroyuki fails to teach the use of a plurality of device areas on the substrate, a plurality of 1st chips and a plurality of 2<sup>nd</sup> chips, it would have been obvious to one of ordinary skill in the art to make a strip lead frame-type of wiring substrate where multiple *individual* chip stacks can be formed thereon.

The mere duplication of parts has no patentable significance unless a new and unexpected result is produced. In re Harza, 124 USPQ 378 (CCPA 1960).

Finally, Hiroyuki also fails to teach the use of a plurality of resin injection entrances.

Mitsuhiro teaches a semiconductor molding process wherein a resin is flowed into a cavity containing a semiconductor package wherein there exist 2 entrance gates (3), both on the same side of the cavity.

It would have been obvious to one of ordinary skill in the art to use the multiple resin entrance gates of Mitsuhiro in the transfer molding of Hiroyuki because Mitsuhiro teaches that heat can be absorbed effectively, pressure can be easily applied and the molding cycle time can be improved.

### **Conclusion**

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David A. Zarneke whose telephone number is (703)-305-3926. The examiner can normally be reached on M-F 10AM-6PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David L. Talbott can be reached on (703)-305-9883. The fax phone numbers for

Application/Control Number: 10/086,717  
Art Unit: 2827

Page 11

the organization where this application or proceeding is assigned are (703)-308-7722 for regular communications and (703)-308-7721 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703)-308-0956.

David A. Zarneke  
April 15, 2003

*David A. Zarneke*  
*Art 2827*